



Safety Data Sheet

Issue Date: 10-Sep-2014

Revision Date: 11-Mar-2015

Version 1

1. IDENTIFICATION

Product Identifier

Product Name HAAS™ Freakshow™ Carnauba Liquid

Other means of identification

Item # NA

UN/ID No NA

Recommended use of the chemical and restrictions on use

Recommended Use Car Care

Details of the supplier of the safety data sheet

Supplier Address

Von Haas
P.O. Box 9933
Greenville, SC 29604

Emergency Telephone Number

Company Phone Number Phone: 929-777-8013
Fax: 844-866-4227
Email: info@vonhaas.com
www.vonhaas.com
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Hazcom 2012/ GHS Classification:

Acute Dermal Toxicity Category 4

Skin Sensitization Category 1

Aspiration Toxicity Category 1

Note: This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Label Elements:



Appearance: Pink

Physical State: Liquid

Odor: Perfume

Precautionary Statements**Prevention**

- Wear protective gloves/protective clothing/eye protection/face protection.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.

General Advice

- Specific measures (see supplemental first aid instructions on this label)

Skin

- IF ON SKIN: Wash with plenty of soap and water.
- Call a POISON CENTER or doctor/physician if you feel unwell.
- Wash contaminated clothing before reuse.
- If skin irritation or rash occurs: Get medical advice/attention.

Ingestion

- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- Do NOT induce vomiting.

Storage

- Store locked up.

Disposal

- Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

18.915% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Naphtha (petroleum), heavy alkylate	64741-65-7	25-50	*
Paraffinic, naphthenic solvent	64742-47-8	25-50	*
Calcined kaolin clay	66402-68-4	<10	*
Turpentine	8006-64-2	1-5	*
Paraffin	8002-74-2	1-5	*

**The exact percentage (concentration) of composition has been withheld as a trade secret.*

4. FIRST-AID MEASURES

First Aid Measures**General Advice**

Immediate medical attention is not required. Show this safety data sheet to the doctor in attendance. If symptoms persist, call a physician. May produce an allergic reaction.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

Skin Contact

Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician.

Inhalation

Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If symptoms persist, call a physician.

Ingestion

Drink plenty of water. Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically. May cause sensitization of susceptible persons. Use of epinephrine may be indicated.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Foam. Dry powder. Dry chemical.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Use personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. If spilled, take caution, as material can cause surfaces to become very slippery.

Environmental Precautions

Environmental Precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated place. Keep out of the reach of children.

Incompatible Products

Strong oxidizing agents. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters Exposure Guidelines Chemical Name

Calcined kaolin clay
66402-68-4

ACGIH TLV

STEL: 10 mg/m³ Zr
TWA: 5 mg/m³ Zr
TWA: 0.2 mg/m³ Mn

OSHA PEL

TWA: 5 mg/m³ Zr
(vacated) TWA: 5 mg/m³ Zr
(vacated) STEL: 10 mg/m³ Zr

NIOSH IDLH

TWA: 5 mg/m³ respirable dust
TWA: 10 mg/m³ total dust

10. STABILITY AND REACTIVITY

Reactivity: No data available.

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: None under normal processing.

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to avoid: None known based on information supplied.

Incompatible materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products: Carbon oxides. Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Symptoms of Overexposure:

Inhalation: Avoid breathing vapors or mists.
Skin Contact: Harmful in contact with skin. Repeated exposure may cause skin dryness or cracking. May cause sensitization by skin contact. Causes mild skin irritation
Eye Contact: Contact with eyes may cause irritation.
Ingestion: Potential for aspiration if swallowed.

Toxicology data for the components

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Naphtha (petroleum), heavy alkylate	> 7000 mg/kg (Rat)	> 3000 mg/kg (Rat) > 2000 mg/kg (Rabbit)	> 5.04 mg/L (Rat) 4 h
Paraffinic, naphthenic solvent	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Paraffin	> 3750 mg/kg (Rat)	> 3600 mg/kg (Rabbit)	-
Turpentine	= 5760 mg/kg (Rat)	-	= 13700 mg/m ³ (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Calcined kaolin clay				X

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity This product does not contain any known or suspected reproductive hazards.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Target Organ Effects Liver. Kidney. Respiratory system. Eyes. Skin. Central nervous system (CNS). Blood. Hematopoietic system.
Aspiration Hazard May be fatal if swallowed and enters airways

Numerical measures of toxicity - Product

Acute Toxicity 18.915% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 17400 mg/kg; Acute toxicity estimate

LD50 Dermal 1963 mg/kg; Acute toxicity estimate

Inhalation

gas 1285 mg/L

dust/mist 8.6 mg/L; Acute toxicity estimate

Vapor 892 mg/L; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Naphtha (petroleum), heavy alkylate 64741-65-7	EC50 72 h: = 30000 mg/L (Pseudokirchneriella subcapitata)			LC50 48 h: = 2 mg/L (Mysidopsis bahia)
Paraffinic, naphthenic solvent 64742-47-8		LC50: 45 mg/L Pimephales promelas 96 h flow-through LC50: 2.2 mg/L Lepomis macrochirus 96 h static LC50: 2.4 mg/L Oncorhynchus mykiss 96 h static		LC50 96 h: = 4720 mg/L (Den-dronereides heteropoda)

Persistence and Degradability No information available.

Bioaccumulation No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations Should not be released into the environment.

Contaminated Packaging Dispose of in accordance with local regulations.

California Hazardous Waste Codes 331

14. TRANSPORT INFORMATION

DOT Not regulated
 TDG Not regulated
 MEX Not regulated
 ICAO Not regulated
 IATA Not regulated
 IMDG/IMO Not regulated
 RID Not regulated
 ADR Not regulated
 ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
 EINECS Complies
 ELINCS Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical	CAS-No	Weight%	SARA 313 – Threshold Values %
Calcined kaolin clay	66402-68-4	<10	1.0%

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA- Reportable Quantities	CWA Toxic Pollutants	CWA-Priority Pollutants	CWA – Hazardous Substances
Calcined kaolin clay		X		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Calcined kaolin clay			x		x
Paraffin	x	x	x		x
Turpentine	x	x			x

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

HMIS Hazard Rating:

Health -2 Fire Hazard- 1 Physical Hazard 0 Personal Protection B

Revision Date: July 20, 2014 Supersedes: May 23, 2014

Revision Summary: Convert to Hazcom 2012. Changes in all sections.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet